

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#) [Search Form](#) [Posting Counts](#) [Show S Numbers](#) [Edit S Numbers](#) [Preferences](#) [Cases](#)**Search Results -**

Terms	Documents
(714/38 714/39)!.CCLS.)	900

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L6

Search History**DATE:** Friday, October 31, 2003 [Printable Copy](#) [Create Case](#)**Set Name Query**
side by side**Hit Count Set Name**
result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L6</u>	((714/38 714/39)!.CCLS.)	900	<u>L6</u>
<u>L5</u>	((712/208 712/215)!.CCLS.)	617	<u>L5</u>
<u>L4</u>	((717/129 717/154 717/158)!.CCLS.)	369	<u>L4</u>
<u>L3</u>	L2 and l1	37	<u>L3</u>
<u>L2</u>	(profil\$ or instrument\$ or trace or monitor\$) and record\$ and hardware\$ and (without\$ near5 software\$)	2443	<u>L2</u>
<u>L1</u>	((717/130 717/131 717/132 717/127 717/128 717/136 717/159 717/148 717/151 717/158)!.CCLS.)	1047	<u>L1</u>

END OF SEARCH HISTORY

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#) [Search Form](#) [Posting Counts](#) [Show S Numbers](#) [Edit S Numbers](#) [Preferences](#) [Cases](#)**Search Results -**

Terms	Documents
L25 and l24	2

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

[Refine Search](#)

[Recall Text](#)
[Clear](#)

Search History

DATE: Friday, October 31, 2003 [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

Hit Count Set Name
result set

DB=USPT; PLUR=YES; OP=ADJ

L26 L25 and l24

2 L26

L25 (host near5 computer\$ near5 send\$ and remot\$)

1228 L25

L24 ((717/168 |717/169 |717/170 |717/171 |717/172)!.CCLS.)

406 L24

L23 ((717/168)!.CCLS.)

148 L23

DB=TDBD; PLUR=YES; OP=ADJ

L22 record\$ near5 (sampl\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)

0 L22

DB=DWPI; PLUR=YES; OP=ADJ

L21 record\$ near5 (sampl\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)

0 L21

DB=EPAB; PLUR=YES; OP=ADJ


<u>L20</u>	record\$ near5 (sampl\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)	0	<u>L20</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L19</u>	l3 and l15	32	<u>L19</u>
<u>L18</u>	l15 and l10	2	<u>L18</u>
<u>L17</u>	l11 and l15	2	<u>L17</u>
<u>L16</u>	L15 and l12	1	<u>L16</u>
<u>L15</u>	((717/154 717/151 717/158 717/141 717/146)!.CCLS.)	652	<u>L15</u>
<u>L14</u>	L13 and performanc\$ and sampl\$ and monitor\$ and hardware and (without\$ near5 software\$)	1	<u>L14</u>
<u>L13</u>	5796939.pn.	1	<u>L13</u>
<u>L12</u>	L11 and hardware\$	137	<u>L12</u>
<u>L11</u>	(sampl\$ or trace or monitor\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)	183	<u>L11</u>
<u>L10</u>	(sampl\$ or trace or profil\$ or instrument\$) near9 (without\$ near5 software\$)	92	<u>L10</u>
<i>DB=JPAB; PLUR=YES; OP=ADJ</i>			
<u>L9</u>	(sampl\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)	12	<u>L9</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L8</u>	L7 and hardware	38	<u>L8</u>
<u>L7</u>	(sampl\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)	42	<u>L7</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L6</u>	record\$ near5 (sampl\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)	5	<u>L6</u>
<u>L5</u>	profile\$ near5 (without softwar\$)	2	<u>L5</u>
<u>L4</u>	L3 and profil\$ same (without\$ near4 software\$)	25	<u>L4</u>
<u>L3</u>	(profil\$ or record\$) near5 (hardwar\$ or software\$)	7556	<u>L3</u>
<u>L2</u>	L1 and (hardwar\$ same profil\$)	1	<u>L2</u>
<u>L1</u>	6374369.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs



RELEASE 1.5

Welcome
United States Patent and Trademark Office

Help FAQ Terms IEEE Quick Links

» Search Results

Peer Review

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

[Print Format](#)Your search matched **11** of **981130** documents.A maximum of **11** results are displayed, **15** to a page, sorted by **Relevance** in **descending** order.

You may refine your search by editing the current search expression or entering a new one in the text box.

Then click **Search Again**.**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 Beam size measurements with noninterceptive off-axis screens**

Decker, F.-J.; Brown, R.; Seeman, J.T.;
Particle Accelerator Conference, 1993., Proceedings of the 1993 ,
17-20 May 1993

Page(s): 2507 -2509 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(272 KB\)\]](#) **IEEE CNF****2 Design and commissioning of flying wires in the Fermilab Accumulator**

Wang, W.Q.; Groves, T.; Hahn, A.A.; Jackson, G.; Marriner, J.;
Martin, K.; Misek, J.;
Particle Accelerator Conference, 1991. 'Accelerator Science and
Technology', Conference Record of the 1991 IEEE , 6-9 May 1991
Page(s): 1180 -1182 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(192 KB\)\]](#) **IEEE CNF****3 Acoustic array sensor tracking system**

von der Heydt, K.; Duckworth, G.; Baggeroer, A.;
OCEANS , Volume: 17 , Nov 1985
Page(s): 464 -471

[\[Abstract\]](#) [\[PDF Full-Text \(736 KB\)\]](#) **IEEE CNF****4 Application of computer controls and display to roll grinders**

[> home](#) [> about](#) [> feedback](#) [>](#)

US Patent & Trademark Office

[Try the new Portal design](#)

Give us your opinion after using it.

Search DL [> Advanced Search](#) [> Search H](#)

ACM Digital Library

A half century of pioneering concepts and fundamental research have been digitized and indexed in a variety of ways in this special collection of works published by ACM since its inception. The ACM Digital Library includes bibliographic information, abstracts, reviews, and full texts.

Digital Library Overview

- [» What's New](#)
- [» FAQ](#)
- [» DL Pearls](#)
- [» Content and Organization](#)
- [» Terms of Usage](#)
- [» Resources from Affiliated Organizations](#)

Browse the Digital Library

- [» Journals](#)
- [» Magazines](#)
- [» Transactions](#)
- [» Proceedings](#)
- [» Newsletters](#)
- [» Publications by Affiliated Organizations](#)
- [» Special Interest Groups \(SIGs\)](#)

Personalized Services

» My Bookshelf

Custom collections. Personal virtual Journals. Intelligent agent searches. Collaborative filtering. ♦

Online Computing Reviews Service

» OCRS

Access critical reviews of the computer literature using the Online Computing Reviews Service.

Subscription and Access Information

- [» Access Information](#)
- [» Individual Subscriptions](#)
- [» Institutional Subscriptions](#)
- [» Document Delivery Service](#)

The ACM Digital Library is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.

Read the ACM [Privacy Policy](#) and [Code of Ethics](#)

Questions? Comments? Contact webmaster@acm.org

Call: 1.800.342.6626 (USA & Canada) or +212.626.0500 (Global)

Write: ACM, 1515 Broadway, New York, NY 10036, USA

[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office

[Try the new Portal design](#)

Give us your opinion after using it.

Search Results

Search Results for: [profile and monitor and record and without software and hardware]
Found 1 of 122,228 searched.

Search within Results

[> Advanced Search](#)[> Search Help/Tips](#)Sort by: [Title](#) [Publication](#) [Publication Date](#) [Score](#) [Binder](#)Results 1 - 1 of 1 [short listing](#)

1 [Software reliability and dependability: a roadmap](#) 77%

Bev Littlewood, Lorenzo Strigini

Proceedings of the conference on The future of Software engineering May 2000

Results 1 - 1 of 1 [short listing](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2003 ACM, Inc.

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#) [Search Form](#) [Posting Counts](#) [Show S Numbers](#) [Edit S Numbers](#) [Preferences](#) [Cases](#)**Search Results -**

Terms	Documents
13 and 115	32

Database:

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

record\$ near5 (sampl\$ or profil\$ or
instrument\$) near9 (without\$ near5
software\$)

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE:** Friday, October 31, 2003 [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

DB=USPT; PLUR=YES; OP=ADJ

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
<u>L19</u>	l3 and l15	32	<u>L19</u>
<u>L18</u>	l15 and l10	2	<u>L18</u>
<u>L17</u>	l11 and l15	2	<u>L17</u>
<u>L16</u>	L15 and l12	1	<u>L16</u>
<u>L15</u>	((717/154 717/151 717/158 717/141 717/146)!.CCLS.)	652	<u>L15</u>
<u>L14</u>	L13 and performanc\$ and sampl\$ and monitor\$ and hardware and (without\$ near5 software\$)	1	<u>L14</u>
<u>L13</u>	5796939.pn.	1	<u>L13</u>
<u>L12</u>	L11 and hardware\$	137	<u>L12</u>
<u>L11</u>	(sampl\$ or trace or monitor\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)	183	<u>L11</u>
<u>L10</u>	(sampl\$ or trace or profil\$ or instrument\$) near9 (without\$ near5 software\$)	92	<u>L10</u>

DB=JPAB; PLUR=YES; OP=ADJ

<u>L9</u>	(sampl\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)	12	<u>L9</u>
-----------	--	----	-----------

DB=PGPB; PLUR=YES; OP=ADJ

<u>L8</u>	L7 and hardware	38	<u>L8</u>
-----------	-----------------	----	-----------

<u>L7</u>	(sampl\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)	42	<u>L7</u>
-----------	--	----	-----------

DB=USPT; PLUR=YES; OP=ADJ

<u>L6</u>	record\$ near5 (sampl\$ or profil\$ or instrument\$) near9 (without\$ near5 software\$)	5	<u>L6</u>
-----------	--	---	-----------

<u>L5</u>	profile\$ near5 (without softwar\$)	2	<u>L5</u>
-----------	-------------------------------------	---	-----------

<u>L4</u>	L3 and profil\$ same (without\$ near4 software\$)	25	<u>L4</u>
-----------	---	----	-----------

<u>L3</u>	(profil\$ or record\$) near5 (hardwar\$ or software\$)	7556	<u>L3</u>
-----------	--	------	-----------

<u>L2</u>	L1 and (hardwar\$ same profil\$)	1	<u>L2</u>
-----------	----------------------------------	---	-----------

<u>L1</u>	6374369.pn.	1	<u>L1</u>
-----------	-------------	---	-----------

END OF SEARCH HISTORY